Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	1	(imag\$3 and fil\$3 and control\$3 and (stor\$3 or memor\$3 or buffer ) and (ID or identification) and magnificat\$4 and radiograph\$3 and contrast and raw and pitch and sampl\$3 and siz\$3 and (calculat\$3 or comput\$3 or measur\$4) and (output\$3 or display\$3 or monitor\$4 or screen\$3) and radiation\$3 and absorption and (detect\$3 or read\$3) and (part or portion) and set\$3).CLM.	US-PGPU B	AND	ON	2007/08/07 13:57

Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	1	(imag\$3 and fil\$3 and control\$3 and (stor\$3 or memor\$3 or buffer ) and (ID or identification) and magnificat\$4 and radiograph\$3 and contrast and raw and pitch and sampl\$3 and siz\$3 and (calculat\$3 or comput\$3 or measur\$4) and (output\$3 or display\$3 or monitor\$4 or screen\$3) and radiation\$3 and absorption and (detect\$3 or read\$3) and (part or portion) and set\$3).CLM.	US-PGPU B	AND	ON	2007/08/07 14:12
L2	12640	((382/128,129,130,131, 132,133,134) or (600/300) or (250/370.09,492.1) or (378/37) or (128/915,920, 922)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/08/07 14:12
Ĺ3	1207	2 and (imag\$3 same fil\$3 same control\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:19

	· · · · · ·					
L4	1098	3 and (stor\$3 or memor\$3 or buffer )	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:20
L5		4 and (ID or identification near4 code) and magnificat\$4 and radiograph\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:20
L6	26	5 and (calculat\$3 or comput\$3 or measur\$4) and (output\$3 or display\$3 or monitor\$4 or screen\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:21
L7	5	6 and ((detect\$3 or read\$3) near3 (sampl\$3)) and (part or portion) and set\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:21

L8		7 and radiation\$3 and absorption	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:18
L9	5054	(imag\$3 near3 fil\$3 near3 control\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23
L10	807	3 and ((stor\$3 or memor\$3 or buffer ) near3 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23
L11	26	10 and (ID or identification near4 code) and magnificat\$4 and radiograph\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:22

8/7/07 2:37:33 PM Page 3

L12	26	11 and (calculat\$3 or comput\$3 or measur\$4) and (output\$3 or display\$3 or monitor\$4 or screen\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:22
L13	5	12 and ((detect\$3 or read\$3) near3 (sampl\$3)) and (part or portion) and set\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23
L14	9463	raw near3 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:35
L15	26	14 and (ID or identification near4 code) and magnificat\$4 and radiograph\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:22

L16	26	15 and (calculat\$3 or comput\$3 or measur\$4) and (output\$3 or display\$3 or monitor\$4 or screen\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:24
L17	1	16 and sampl\$3 near4 pitch\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23
L18	4559	sampl\$3 near4 pitch\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23
L19	18	18 and (imag\$3 near3 fil\$3 near3 control\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23

L20	18	19 and ((stor\$3 or	US-PGPU	OR	ON	2007/08/07
		memor\$3 or buffer ) near3 (imag\$3))	B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB			14:23
L21	9	20 and ((detect\$3 or read\$3) near3 (sampl\$3)) and (part or portion) and set\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:23
L22	9	21 and (calculat\$3 or comput\$3 or measur\$4) and (output\$3 or display\$3 or monitor\$4 or screen\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:24
L23	1	22 and raw near3 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:34

L24	206	2 and ((convert\$3 or conversion) near4 (power))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:35
L25	5	24 and raw near3 imag\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:36
L26	4	24 and resolv\$3 near4 power	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/08/07 14:37



Home | Login | Logout | Access information | Alerts | Purchase History | "Cart |

#### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((imag\* <and> fil\* <and> control\* <and> radiation <and> radiograph\* <and8..." Your search matched 1 of 1625854 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

((imag\* <and> fil\* <and> control\* <and> radiation <and> radiograph\* <and> convert\*

» Key

ieee jnl

IEEE Journal or Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

**IEEE Conference** 

Proceeding

BET CNF

**IET Conference** 

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

Check to search only within this results set

view selected items

Select All Deselect All

1. "Control" diagnostic X-ray apparatus with a digital image visualization sy

Filatov, A.L.; Korjenevski, S.R.; Scherbirin, S.V.;

High-Power Particle Beams, 1998, BEAMS '98. Proceedings of the 12th Intern-

Conference on

Volume 1, 7-12 June 1998 Page(s):495 - 498 vol.1 Digital Object Identifier 10.1109/BEAMS.1998.822487

AbstractPlus | Full Text: PDF(276 KB) | IEEE CNF

Rights and Permissions

Help Contact Us Privacy &:

@ Copyright 2006 IEEE --

yd bereinni 🖫 inspec



Home | Login | Logout | Access information | Alerts | Purchase History | "Cart |

#### Welcome United States Patent and Trademark Office

Search Results BROWSE SEARCH **IEEE XPLORE GUIDE** Results for "((Imag\* < and > fil\* < and > control\* < and > radiation < and > radiograph\* < and & ..." ☑ e-mail Your search matched 4 of 1625854 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** ((imag\* <and> fil\* <and> control\* <and> radiation <and> radiograph\* <and> convert\* New Search Check to search only within this results set » Kev Display Format: @ Citation C Citation & Abstract IEEE Journal or IEEE JNL Magazine view selected items Select All Deselect All IET JNL IET Journal or Magazine IEEE CNF **IEEE Conference** Proceeding 1. Real-time flat-panel pixel imaging system and control for X-ray and neutro Chapuy, S.; Dimcovski, M.; Dimcovski, Z.; Lehmann, E.H.; Pachoud, M.; Valley **IET Conference** IET CNF F.R.; Vontobel, P.; Proceeding Nuclear Science, IEEE Transactions on IEEE STD IEEE Standard Volume 48, <u>Issue 6</u>, Dec. 2001 Page(s):2357 - 2364 Digital Object Identifier 10.1109/23.983268 AbstractPlus | References | Full Text: PDF(211 KB) | IEEE JNL Rights and Permissions 2. Neutron imaging using medical linacs Adani, N.; Fallone, B.G.; Engineering in Medicine and Biology Society, 2000, Proceedings of the 22nd A International Conference of the IEEE Volume 4, 23-28 July 2000 Page(s):2457 - 2460 vol.4 Digital Object Identifier 10.1109/IEMBS.2000.901296 AbstractPlus | Full Text: PDF(444 KB) IEEE CNF Rights and Permissions 3. "Control" diagnostic X-ray apparatus with a digital image visualization sy Filatov, A.L.; Korjenevski, S.R.; Scherbinin, S.V.; High-Power Particle Beams, 1998. BEAMS '98. Proceedings of the 12th Intern-Conference on Volume 1, 7-12 June 1998 Page(s):495 - 498 vol.1 Digital Object Identifier 10.1109/BEAMS.1998.822487 AbstractPlus | Full Text: PDF(276 KB) HEEE CNF Rights and Permissions 4. The measurement of three dimensional dose distribution of a ruthenium-ophthalmological applicator using magnetic resonance imaging of BANG Chan, M.F.; Fung, A.Y.C.; Yu-Chi Hu; Amols, H.; Zaider, M.; Abramson, D.; Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A International Conference of the IEEE Volume 4, 23-28 July 2000 Page(s):2431 - 2432 vol.4 Digital Object Identifier 10.1109/IEMBS.2000.901291 AbstractPlus | Full Text: PDF(152 KB) IEEE CNF

Rights and Permissions



# PALM INTRANET

Day: Tuesday Date: 8/7/2007 Time: 14:38:13

#### **Inventor Name Search Result**

Your Search was:

Last Name = KURAHASHI

First Name = AKIRA

A	Dod	Ctat	D-4- 771 1	TP:41	
Application#					Inventor Name
07015675	Not Issued	161	02/17/1987	PROCESSING METHOD FOR LOGIC PROGRAMMING LANGUAGE	KURAHASHI, AKIRA
07357737	5056116	150	05/26/1989	DATA DEMODULATION APPARATUS	KURAHASHI, AKIRA
<u>07454501</u>	5166914	150	12/21/1989	DATA RECORDING/REPRODUCING APPARATUS WITH TWO- DIMENSIONAL EQUALIZER FOR CROSSTALK CANCELLATION	KURAHASHI, AKIRA
07475943	5170384	250	02/06/1990	TRACKING CONTROL FOR OPTICAL INFORMATION RECORDING AND REPRODUCING APPARATUS	KURAHASHI, AKIRA
07531430	5057945	150	05/31/1990	SIGNAL RECORDING/REPRODUCING APPARATUS	KURAHASHI, AKIRA
07650804	5202870	150	02/06/1991	OPTICAL DISK RECORDING/REPRODUCING APPARATUS AND A PHOTOELECTRIC CONVERSION AMPLIFIER THEREFOR	KURAHASHI, AKIRA
07920094	5276665	250	·	A MAGNETO-OPTICAL DISK RECORDING AND REPRODUCING APPARATUS CAPABLE OF REPRODUCING A PLURALITY OF DISK TYPES	KURAHASHI, AKIRA
08111401	5396426	150		CONSTANT SPEED TRAVELING APPARATUS FOR VEHICLE WITH INTER-VEHICLE DISTANCE ADJUSTMENT FUNCTION	KURAHASHI, AKIRA
<u>08162276</u>	5510990	150	12/07/1993	SYSTEM FOR DISTINGUISHING	KURAHASHI,

				A VEHICLE TRAVELING AHEAD BASED ON AN ADJUSTABLE PROBABILITY DISTRIBUTION	AKIRA
08204180	5589930	150	02/25/1994	OPTICAL RADAR APPARATUS	KURAHASHI, AKIRA
08204572	5529139	150	03/02/1994	VEHICLE SPPED CONTROL SYSTEM	KURAHASHI, AKIRA
08503047	5742232	150	07/17/1995	GLASS BREAKING DETECTION DEVICE	KURAHASHI, AKIRA
08759956	<u>5987066</u>	150	12/03/1996	DIGITAL DATA TRANSMITTING METHOD	KURAHASHI, AKIRA
08813659	<u>5796336</u>	150	03/07/1997	GLASS BREAKAGE DETECTING DEVICE	KURAHASHI, AKIRA
<u>09860641</u>	6686992	150	05/21/2001	RAINDROP DETECTING METHOD AND APPARATUS HAVING TEMPERATURE- DEPENDENT CHARACTERISTIC COMPENSATION	KURAHASHI, AKIRA
10005844	6597007	150	12/07/2001	OPTICAL POSITION DETECTION DEVICE AND DISTANCE MEASUREMENT DEVICE	KURAHASHI, AKIRA
10319971	6847697	150	12/16/2002	MEDICAL IMAGE PROCESSING APPARATUS, MEDICAL IMAGE PROCESSING METHOD, PROGRAM AND A RECORDING MEDIUM THEREOF	KURAHASHI, AKIRA
10785530	Not Issued	71	02/23/2004	Image file control apparatus, a control method of the image file, and a recording medium	KURAHASHI, AKIRA
10785864	Not Issued	71	02/25/2004	DIGITAL DATA TRANSMITTING METHOD	KURAHASHI, AKIRA
11390784	Not Issued	30	03/28/2006	Image processing apparatus, image processing method and image processing program	KURAHASHI, AKIRA
11638659	Not Issued	41	12/14/2006	Digital data transmitting method	KURAHASHI, AKIRA
<u>11638660</u>	Not Issued	41	12/14/2006	Digital data transmitting method	KURAHASHI, AKIRA
11638661	Not Issued	41	12/14/2006	Digital data transmitting method	KURAHASHI, AKIRA

Inventor Search Completed: No Records to Display.

Carriel A . dl T	Last Name	First Name	
Search Another: Invento	Kurahashi	Akira	Search

To go back use Back button on your browser toolbar.

Back to PALM ASSIGNMENT | OASIS | Home page